





Yamaha Grizzly YFM 660 Factory Replacement Air Filter

OTR PART# OR10521



OTR Air Filters are specifically designed and engineered in order to provide maximum performance and engine protection for your Yamaha ATV. Positive filter sealing and ultra-high efficiency media ensure that no dust enters your engine.

1. Remove lid from stock air box by removing the 5 screws
2. Remove existing intake hose by loosening the hose clamp
3. Remove existing stock adaptor by pulling it out toward you
4. Remove existing air filter by lifting it up and out of the stock air box
5. Install OTR filter mount support ring as shown and fully seat flange against tube
6. Install OTR air filter with supplied band clamp onto OTR support ring, then tighten to band clamp
7. Install the stock intake hose back onto the stock air box, then tighten the hose clamp
8. Install and secure the stock lid back on the stock air box and tighten the stock 5 screws into place






Remove existing intake hose by loosening hose clamp screw




Remove existing stock adaptor



Remove existing filter






Install OTR filter mount support ring



OTR Support





OTR Air Filter

Supplied Band Clamp

Install OTR Air Filter with supplied band clamp

Tighten the supplied band clamp to the OTR Support Ring



Install the existing intake hose as shown and tighten the hose clamp

Filter Maintenance

Normal Maintenance - Clean filter as required using low pressure compressed air (50-70 psi) directed from the inside (clean) surface toward the outside (dirty) surface.

Discoloration and staining will occur over time. This will not impact filter restriction and efficiency. Compressed air cleaning will restore the filter's performance. OTR air filters are washable using a biodegradable cleaner such as Simple Green. Soak, rinse and allow plenty of time to dry.

Follow dilution instructions for *light cleaning* products made with aluminum.

Never oil an OTR filter as this will only degrade the filter's performance.

OTR FILTERS
605 Tower Road
Mundelein, IL 60060
800-263-8660